

IN THE CLAIMS:

Please cancel claim 5 without prejudice, add new claims 10-19, and amend claims 1, 6 and 8 as follows:

1. (Currently Amended) A structure comprising:
an annular rim member defining a central opening, the rim member including a first frame member;
a flexible and waterproof material attached to the rim member to form a containing member that defines a side wall with a containing space therewithin;
a second frame member attached to the side wall of the containing member and spaced apart from the first frame member; and
wherein the first and second frame members assume a folded and an unfolded orientation, and the first and second frame members are folded into a plurality of concentric frame members when the frame members in the folded orientation.

2. (Original) The structure of claim 1, wherein the first and second frame members are disposed parallel to each other.

3. (Original) The structure of claim 1, further including a third frame member attached to the side wall of the containing member and spaced apart from the first and second frame members.

4. (Original) The structure of claim 1, wherein the containing member has a base that has a diameter that is greater than the diameter of the rim member when the containing space is filled with a liquid.

5. (Canceled).

6. (Currently Amended) [[The structure of claim 1,]] A structure comprising:
an annular rim member defining a central opening, the rim member including a first
frame member;

a flexible and waterproof material attached to the rim member to form a containing
member that defines a side wall with a containing space therewithin;

a second frame member attached to the side wall of the containing member and
spaced apart from the first frame member; and

wherein the rim member further includes a sleeve that retains the first frame
member.

7. (Original) The structure of claim 1, wherein the material is PVC.

8. (Currently Amended) [[The structure of claim 1,]] A structure comprising:
an annular rim member defining a central opening, the rim member including a first
frame member;

a flexible and waterproof material attached to the rim member to form a containing
member that defines a side wall with a containing space therewithin;

a second frame member attached to the side wall of the containing member and
spaced apart from the first frame member; and

[[further including]] a sleeve that retains the second frame member.

9. (Original) The structure of claim 1, wherein the containing member has a base,
with the second frame member positioned along the base.

10. (New) The structure of claim 6, wherein the first and second frame members
are disposed parallel to each other.

11. (New) The structure of claim 6, further including a third frame member
attached to the side wall of the containing member and spaced apart from the first and
second frame members.

12. (New) The structure of claim 6, wherein the containing member has a base
that has a diameter that is greater than the diameter of the rim member when the
containing space is filled with a liquid.

13. (New) The structure of claim 6, wherein the material is PVC.
14. (New) The structure of claim 6, wherein the containing member has a base, with the second frame member positioned along the base.
15. (New) The structure of claim 8, wherein the first and second frame members are disposed parallel to each other.
16. (New) The structure of claim 8, further including a third frame member attached to the side wall of the containing member and spaced apart from the first and second frame members.
17. (New) The structure of claim 8, wherein the containing member has a base that has a diameter that is greater than the diameter of the rim member when the containing space is filled with a liquid.
18. (New) The structure of claim 8, wherein the material is PVC.
19. (New) The structure of claim 8, wherein the containing member has a base, with the second frame member positioned along the base.